





Can

BARREIROS



ANTI FRICTION MOVEMENT
ROUND THE GLOBE




Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
11949/11910	0009815905	19.050	45.237	15.494	
14116/14276		30.230	69.010	39.710	
15101/15245		25.400	62.000	19.050	
212044/212011		60.330	122.240	38.100	
218248/218210		89.975	146.975	40.000	
25590/25520		45.620	82.931	23.812	
2780/2720		36.490	76.200	23.810	
30302	9819905	15.000	42.000	14.250	
30306	30306 DIN	30.000	72.000	20.750	
30312		60.000	130.000	33.500	
306445 TR	2540020	0.000	81.600	25.000	
32211	3129810401	55.000	100.000	26.750	
32212	3129810101	60.000	110.000	29.750	
32214		70.000	125.000	33.250	
32306		30.000	72.000	28.750	
32307	DODGE	35.000	80.000	32.750	
32314	3129810101	70.000	150.000	54.000	
3585/3525		41.280	87.312	30.162	

3979/3920		57.150	112.710	30.160	
3984/3920		66.680	112.712	30.162	
501349/501310		41.280	73.431	19.560	
537/532		50.800	107.950	36.512	
580/572		82.550	139.992	36.512	
603049/603012		45.242	77.790	21.430	
6461/6420		76.200	149.230	53.980	
CA-103	4090658998 658998 658998 658998 665898 74-7580 B 658998	38.100	71.200	17.000	
CA-103 -S4	4092405077 2405077 2200027 2200027 2405877 2405877	0.000	0.000	0.000	
CA-113	4821211830	69.800	112.800	22.000	
CA-113-S105	4573000231	0.000	0.000	0.000	
CA-113-S31	4821211630 C	0.000	0.000	0.000	
CA-113-S32	4821264430	0.000	0.000	0.000	
CA-115	4011419940 4011419940 4011419940	70.000	104.000	23.000	
CA-147		55.000	90.500	25.000	
CA-147-S98	4581305013A 4581305013A	0.000	0.000	0.000	
CA-152	482125530 482125530 482125530 482125530 482125530 482125530 482125530	75.000	118.000	22.000	

CA-152- S87B	4821253340 4821253340	0.000	0.000	0.000	
CA-152-S87	4821253340 4821253340	0.000	0.000	0.000	
CA-152-S88	4800110430 4800110430 4800110430 4800110430 4800110430 4800110430 4800110430	0.000	0.000	0.000	
CA-152-S97	4800319740 4800319740 4800319740 4800319740 4800319740 4800319740 4800319740	0.000	0.000	0.000	
CA-153-S104	4811423030	0.000	0.000	0.000	
CA-155-S116	15796000 15796000	0.000	0.000	0.000	
CA-162-S73	4881505001 A	0.000	0.000	0.000	
CA-179-S144	63802300	0.000	0.000	0.000	
CA-S50	4021357940	26.800	46.200	7.000	
CAN217		0.000	0.000	0.000	
CAN218		0.000	0.000	0.000	
IR- 5000	4021324640 4021324640	37.200	71.000	11.100	
IR-5001	4080708042 4080708042 4080708042 4080708042 4080708042	27.800	47.600	8.000	
IR-5002	4080708048 4080708048 4080708048 4080708048 4080708048	27.800	47.200	8.000	
IR-5014	4080108032	37.000	59.000	8.800	
IR-5015		37.000	55.500	8.800	
IR-5016	LB-62687000/100 LB-62687000/100	22.200	38.000	9.200	

IR-5049		34.000	51.000	8.000	
IR-5063		46.000	64.000	10.000	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com