






**SUITABLE FOR
DAEWOO APPLICATION**



ANTI FRICTION MOVEMENT
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
11749/11710	2667886	17.462	39.878	13.843	
30204	96336634	20.000	47.000	15.250	
30205	96316635 96316635 96316635	25.000	52.000	16.250	
331274	94797384	0.000	0.000	0.000	
50TKA3805	Cileo	38.000	66.800	31.600	
6007	08113-60070	35.000	62.000	14.000	
6206-2RS	9618006	30.000	62.000	16.000	
6301	9614499	12.000	37.000	12.000	
6301-2RS		12.000	37.000	12.000	
CAN88630009	M408541	0.000	0.000	0.000	
VKC2215		0.000	0.000	0.000	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com