




Can

SUITABLE FOR FRUEHAUF APPLICATION




ANTI FRICTION MOVEMENT
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
210249/212011	M003168	66.675	122.238	38.100	 Can <i>Bearings</i>
218248/218210		89.975	146.975	40.000	 Can <i>Bearings</i>
32208		40.000	80.000	24.750	 Can <i>Bearings</i>
32210		50.000	90.000	24.750	 Can <i>Bearings</i>
32220		100.000	180.000	49.000	 Can <i>Bearings</i>
32222		110.000	200.000	56.000	 Can <i>Bearings</i>
32224		120.000	215.000	61.500	 Can <i>Bearings</i>
32310		50.000	110.000	42.250	 Can <i>Bearings</i>
32314		70.000	150.000	54.000	 Can <i>Bearings</i>
33116		80.000	130.000	37.000	 Can <i>Bearings</i>
33117		85.000	140.000	41.000	 Can <i>Bearings</i>
33118		90.000	150.000	45.000	 Can <i>Bearings</i>
33208		40.000	80.000	32.000	 Can <i>Bearings</i>
33213		65.000	120.000	41.000	 Can <i>Bearings</i>

33215		75.000	130.000	41.000	
506348/506310		0.000	0.000	0.000	
518445/518410	AJA 0813 001 AJA0813001	88.900	152.400	39.690	
518448/518410	AJA 0813 001 AJA0813 001	88.900	152.400	39.690	
524850	T6026000D000 T6015000D000	80.000	130.000	35.000	
593/592		88.900	152.400	39.688	
718149/718110		90.000	145.000	35.000	
BTF-0135	09400544	68.000	172.000	115.000	
VKHB2205	T6015000D000	80.000	130.000	35.000	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com