



# LADA



ANTI FRICTION MOVEMENT  
ROUND THE GLOBE



| Can Bearing No. | O.E.M                                                                    | Bore Dia(mm) | Outer Dia(mm) | Total Bearing Height(mm) | Illustration                                                                        |
|-----------------|--------------------------------------------------------------------------|--------------|---------------|--------------------------|-------------------------------------------------------------------------------------|
| 11949/11910     | 21013103025                                                              | 19.050       | 45.237        | 15.494                   |  |
| DAC30600037     |                                                                          | 30.000       | 60.000        | 37.000                   |  |
| DAC30600337     |                                                                          | 30.000       | 0.000         | 37.000                   |  |
| DAC34640037     |                                                                          | 34.000       | 64.000        | 37.000                   |  |
| IR-5038         | 2101-3401129/22<br>2101-3401129/22<br>2101-3401129/22<br>2101-3401129/22 | 28.000       | 47.000        | 9.000                    |  |
| IR-5039         | 2101-3401129/23<br>2101-3401129/23<br>2101-3401129/23<br>2101-3401129/23 | 32.500       | 50.000        | 16.000                   |  |



# **V. Kan. Export**

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)  
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961  
E.MAIL : [canbearing@gmail.com](mailto:canbearing@gmail.com) , [vaibhav.ahuja82@gmail.com](mailto:vaibhav.ahuja82@gmail.com)

**[www.canbearings.com](http://www.canbearings.com)**