



LEYLAND



ANTI FRICTION MOVEMENT
ROUND THE GLOBE




Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
-----------------	-------	--------------	---------------	--------------------------	--------------

218248/218210		89.975	146.975	40.000	 Can Bearing
220149/220110		99.980	156.980	42.000	 Can Bearing
31 46 27 .2	F025 4010	31.000	46.000	27.200	
314627	F024 2510	31.000	46.000	27.000	
418/414		38.100	88.500	26.990	 Can Bearing
501349/501310		41.280	73.431	19.560	 Can Bearing
535/532		44.450	107.950	36.512	 Can Bearing
539/532		53.980	111.130	38.100	 Can Bearing
566/563		69.850	127.000	36.512	 Can Bearing
580/572		82.550	139.992	36.512	 Can Bearing
6011 WOS		0.000	0.000	0.000	
6013 WOS 2RS		0.000	0.000	0.000	
6202-Z		15.000	35.000	11.000	 Can Bearing
6206-Z		30.000	62.000	16.000	 Can Bearing
6208 DC		0.000	0.000	0.000	
6212		60.000	110.000	22.000	 Can Bearing
6212 WOS		0.000	0.000	0.000	
6309 N		45.000	100.000	25.500	
6310N		50.000	110.000	27.000	
6379/6320		65.090	135.760	53.980	 Can Bearing
67048/67010		31.750	59.131	15.875	 Can Bearing
683/672		95.250	168.280	41.280	 Can Bearing
88912		0.000	0.000	0.000	

CAN-132	61 K 5645 61 K 5645 61 K 5645 61 K 5645	65.000	101.500	22.000	
CAN-6695	FVB00900	47.710	107.500	48.400	
CAN-6698	FVB00700	57.120	107.500	48.400	
CAN-J2	E 22001019	54.200	84.000	31.000	
CAN246		0.000	0.000	0.000	
CAN247		0.000	0.000	0.000	
CAN248		0.000	0.000	0.000	
CAN250		0.000	0.000	0.000	
CAN251		0.000	0.000	0.000	
CAN252		0.000	0.000	0.000	
CAN253		0.000	0.000	0.000	
CAN254		0.000	0.000	0.000	
CAN255		0.000	0.000	0.000	
CAN256		0.000	0.000	0.000	
CAN257		0.000	0.000	0.000	
CAN258		0.000	0.000	0.000	
CAN259		0.000	0.000	0.000	
CAN260		0.000	0.000	0.000	
CAN261		0.000	0.000	0.000	
CFM-10		31.750	79.300	22.750	
KAN - CAN-306497	x 020 41 10	55.000	91.800	27.000	
LEYLAND OIL FILTER		0.000	0.000	0.000	
LO64	f0230910	25.400	53.970	28.580	

LS-8		19.050	47.630	14.290	
MB-41		38.100	67.300	16.500	
MB-41 W/H		32.200	67.300	41.600	
MB-45 AL	F 343 1922	0.000	0.000	0.000	
MB-4572		47.600	103.500	74.600	
MB-6065	B140220201	47.800	120.000	65.500	
MB-6647 W/H	FG200500	47.700	104.000	62.800	
MB-6667	F0P 00700	0.000	0.000	0.000	
MB-92AL	F025 8210	58.000	92.100	31.400	
MB-CB 11 2 3 /4	5322182 / 846412	0.000	0.000	0.000	
MB-LA27	F 024 9710	69.800	103.500	22.000	
MB-LA27 W/H	F 024 9710	47.800	103.500	49.400	
MSN 14		0.000	0.000	0.000	
MSN14		44.450	117.480	28.580	
NJ309	F023 1710	45.000	100.000	25.000	 
NU309N		45.000	100.000	29.000	 
NUP309	F023 6810	45.000	100.000	25.000	 
NUP310	f0236710	50.000	110.000	27.000	 
RLS-5-ZZ	88G622 88G6622	1.563	0.625	0.438	 
RLS8		25.400	54.150	15.875	
WR2555127		25.000	55.000	60.000	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com