



Can

NAVISTA



ANTI FRICTION MOVEMENT
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
1779/1729		0.000	0.000	0.000	
205149/205110	205149/205110	50.000	90.000	28.000	
207049/207010		55.000	95.000	30.000	
212049/212010		120.000	170.000	27.000	
212049/212011		66.675	122.238	38.100	
25877/25820		34.930	73.030	23.812	
26881/26823		0.000	0.000	0.000	
26884/26823		42.880	76.200	25.400	
2689/2620		0.000	0.000	0.000	
28682/28622		57.150	97.630	24.610	
29585/29520		63.500	107.950	25.400	
3196/3120		0.000	0.000	0.000	

33269/33462		0.000	0.000	0.000	
33275/33472		69.850	120.000	29.790	
33281/33462		71.440	117.480	30.160	
33287/33462		73.030	117.480	30.160	
33891/33821		52.390	95.250	27.780	
33895/33821		53.980	95.250	27.780	
3578/3525		44.450	87.310	30.160	
36690/36620		146.050	193.675	28.575	
36990/36920		0.000	0.000	0.000	
3778/3720		47.630	93.260	30.160	
3782/3720		44.450	93.264	30.162	
395/394		66.680	110.000	22.000	
39585/39520		63.500	112.710	30.160	

3979/3920		57.150	112.710	30.160	
3984/3920		66.680	112.712	30.162	
399A/394A		68.260	110.000	22.000	
42688/42620		76.200	127.000	30.162	
440/432		0.000	0.000	0.000	
469/453		57.150	104.780	30.160	
47490/47420		71.440	120.000	32.550	
47678/47620		76.200	133.350	33.340	
47686/47620		82.550	133.350	33.340	
528/522		47.630	101.600	34.930	
539/532		53.980	111.130	38.100	
552/552		0.000	0.000	0.000	
557/553		0.000	0.000	0.000	

566/563		69.850	127.000	36.512	
567/563		73.300	127.000	36.512	
580/572		82.550	139.992	36.512	
594/592		95.250	152.400	39.688	
641/632		66.680	136.530	41.280	
663/653		82.550	146.050	41.280	
715345/715311		71.438	136.525	46.038	
749/742		85.030	150.090	44.450	
760/752		90.490	161.930	47.630	
850/832		0.000	0.000	0.000	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com