



Can

SUITABLE FOR SAF APPLICATION






ANTI FRICTION MOVEMENT
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
215249/215210		75.987	131.975	39.000	 Can <i>Bearings</i>
218248/218210	04 200 1006 00 4 200 1006 00	89.975	146.975	40.000	 Can <i>Bearings</i>
30206	4 200 0003 00	30.000	62.000	17.250	 Can <i>Bearings</i>
30307	04 200 0011 00 4 200 0011 00	35.000	80.000	22.750	 Can <i>Bearings</i>
30309	04 200 0012 00 4 200 0012 00	45.000	100.000	27.250	 Can <i>Bearings</i>
30310	04 200 0013 00 4 200 0013 00	50.000	110.000	29.250	 Can <i>Bearings</i>
30311	04 200 0014 00	55.000	120.000	31.500	 Can <i>Bearings</i>
30312	04 200 0015 00 4 200 0015 00 4200001500	60.000	130.000	33.500	 Can <i>Bearings</i>
30313	04 200 0016 00 4 200 0016 00	65.000	140.000	36.000	 Can <i>Bearings</i>
32206		30.000	62.000	21.250	 Can <i>Bearings</i>
32209	4 200 0022 00	45.000	85.000	24.750	 Can <i>Bearings</i>
32213	04 200 0023 00	65.000	120.000	32.750	 Can <i>Bearings</i>
32217	4 200 0025 00	85.000	150.000	38.500	 Can <i>Bearings</i>
32218	04 200 0027 00 4 200 0027 00	90.000	160.000	42.500	 Can <i>Bearings</i>
32219	04 200 0026 00 4 200 0026 00	95.000	170.000	45.500	 Can <i>Bearings</i>

32221	04 200 0028 00 4 200 0028 00	105.000	190.000	53.000	
32309	4 200 0031 00	45.000	100.000	38.250	
32311	4 200 0032 00	55.000	120.000	45.500	
32312	04 200 0033 00 4 200 0033 00	60.000	130.000	48.500	
32314	4 200 0034 00 04 200 0034 00	70.000	150.000	54.000	
32924	04 200 1010 00	120.000	165.000	29.000	
33113	4200005500	65.000	110.000	34.000	
33118	04 200 1009 00 4 200 1009 00	90.000	150.000	45.000	
33207	04 200 0057 00 4 200 0057 00	35.000	72.000	28.000	
33209	4200006300 04 200 0063 00 4 200 0063 00	45.000	85.000	32.000	
33211	04 200 0058 00 4 200 0058 00	55.000	100.000	35.000	
33212	04 200 0064 00 4 200 0064 00	60.000	110.000	38.000	
33213	04 200 0060 00 4 200 0060 00	65.000	120.000	41.000	
33215	04200007000 4200007000	75.000	130.000	41.000	
524850	04 200 0051 00 4200005100	80.000	130.000	35.000	

524851	04 200 0050 00 4 200 0050 00	90.000	145.000	35.000	
566074.H195		69.800	125.000	114.000	
566847.H195	03 434 3011 00	100.000	148.000	141.000	
569868.H195	03 434 3018 00 04 200 1019 00	82.000	138.000	110.000	
718149/718110	4200005000	90.000	145.000	35.000	
800525	343301100	100.000	148.000	141.000	
803904	03434301000 03434301200 04200101602 03307300600 03307300601 03307301200 03307301201 03307301500 3434301000	120.000	175.030	123.000	
805415 HUB	3307303000 3307303001 3434301800 4200101900	82.000	138.000	110.000	
805415/805405	03 434 3018 00 04 200 1019 00	82.000	138.000	110.000	
808918	3434301900 3307304300 3434302000 03200102000 04200102001 04200102000 3434302100 3434302200 3434401900 3434402001	88.000	138.000	120.000	
BTF0056EB	3434365000 3200200151 4200200100 4200200101 100167601 1003457 100167600 1002689	82.000	196.000	110.000	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com