



Can

SPICER




ANTI FRICTION MOVEMENT
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
212044/212011		60.330	122.240	38.100	 Can <i>Bearings</i>
212049/212011		66.675	122.238	38.100	 Can <i>Bearings</i>
218248/218210		89.975	146.975	40.000	 Can <i>Bearings</i>
221442/221410		98.425	190.500	57.150	 Can <i>Bearings</i>
224340/224310		107.950	212.725	66.675	 Can <i>Bearings</i>
25580/25523		44.450	82.930	26.990	 Can <i>Bearings</i>
29585/29520		63.500	107.950	25.400	 Can <i>Bearings</i>
33281/33462		71.440	117.480	30.160	 Can <i>Bearings</i>
33287/33462		73.030	117.480	30.160	 Can <i>Bearings</i>
3782/3720		44.450	93.264	30.162	 Can <i>Bearings</i>
394/392		0.000	0.000	0.000	 Can <i>Bearings</i>
39585/39520		63.500	112.710	30.160	 Can <i>Bearings</i>
3979/3920		57.150	112.710	30.160	 Can <i>Bearings</i>
3982/3920		63.500	112.713	30.162	 Can <i>Bearings</i>

3984/3920		66.680	112.712	30.162	
42688/42620		76.200	127.000	30.162	
47686/47620		82.550	133.350	33.340	
518445/518410		88.900	152.400	39.690	
528/522		47.630	101.600	34.930	
557/553		0.000	0.000	0.000	
567/563		73.300	127.000	36.512	
5760/5735		0.000	0.000	0.000	
580/572		82.550	139.992	36.512	
593/592		88.900	152.400	39.688	
594/592		95.250	152.400	39.688	
595/592		82.550	139.990	36.510	
598/592A		92.075	152.400	39.688	
637/633		0.000	0.000	0.000	
643/632		69.850	136.530	41.280	

643/633		69.385	130.180	41.280	
6461/6420		76.200	149.230	53.980	
65390/65320		82.550	161.930	53.970	
6580/6535		88.900	161.930	53.980	
665/653		85.730	146.050	42.350	
749/742		85.030	150.090	44.450	
760/752		90.490	161.930	47.630	
780/772		0.000	0.000	0.000	
CZ116	5-5178X	0.000	82.500	30.000	
CZ117	5-5179X	0.000	70.150	27.000	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com