




Can

SUITABLE FOR VOLKSWAGEN APPLICATION



ANTI FRICTION MOVEMENT
ROUND THE GLOBE




Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
11949/11910	211405645 D 9000709340 99905906500	19.050	45.237	15.494	 Can <i>Bearings</i>
12749/12710	251405645B	21.990	45.240	15.490	 Can <i>Bearings</i>
25590/25522	2RD 407 632 2RD 407 633	45.620	83.060	23.880	 Can <i>Bearings</i>
282175/953787	02F311123A	25.000	62.000	16.000	 Can <i>Bearings</i>
3189000931		0.000	0.000	0.000	 Can <i>Bearings</i>
32006		30.000	55.000	17.000	 Can <i>Bearings</i>
32010		50.000	80.000	20.000	 Can <i>Bearings</i>
32011	293501319 2D0501319B	55.000	90.000	23.000	 Can <i>Bearings</i>
32012	2E0 501 319 A	60.000	95.000	23.000	 Can <i>Bearings</i>
32016	098 409 321 A	80.000	125.000	29.000	 Can <i>Bearings</i>
32210	291501319B 2D0501319A	50.000	90.000	24.750	 Can <i>Bearings</i>
32218	2TO 501 287	90.000	160.000	42.500	 Can <i>Bearings</i>
33205		25.000	52.000	22.000	 Can <i>Bearings</i>
332257 ED	091311219	34.990	82.000	37.900	 Can <i>Bearings</i>
45449/45410	1GM 405 625 311 405 625 311 405 625 1 A/B/C/E/F/N	29.000	50.292	14.224	 Can <i>Bearings</i>

47686/47620	098057 098066	82.550	133.350	33.340	
6201		12.000	32.000	10.000	
6203		17.000	40.000	12.000	
6204		20.000	47.000	14.000	
716649/716610		85.000	130.000	30.000	
CAN104		0.000	0.000	0.000	
CAN107		0.000	0.000	0.000	
CAN161		0.000	0.000	0.000	
CAN167		0.000	0.000	0.000	
CAN169		0.000	0.000	0.000	
CAN179		0.000	0.000	0.000	
CAN180		0.000	0.000	0.000	
CAN181		0.000	0.000	0.000	
CAN182		0.000	0.000	0.000	
CAN225		0.000	0.000	0.000	
CAN328		0.000	0.000	0.000	

CAN329		0.000	0.000	0.000	
CAN330		0.000	0.000	0.000	
CAN331		0.000	0.000	0.000	
CAN336		0.000	0.000	0.000	
CAN337		0.000	0.000	0.000	
DAC34620037		34.000	62.000	37.000	
DAC34640037		34.000	64.000	37.000	
DAC35660037	6N0498625 6N0 407 625	35.000	66.000	37.000	
DAC39/41750037		39.000	75.000	37.000	
DAC39680037		39.000	68.000	37.000	
DAC39680637		39.000	68.060	37.000	
DAC39680737		39.000	68.070	37.000	
DAC40720037	191498625A	40.000	72.000	37.000	
DAC40760033/28		40.000	76.000	33.000	
F1 10085	113415227	20.100	38.100	7.800	
T-113 Ball	342300400	28.829	55.562	15.875	

T-113 TR	342300400	28.829	55.562	15.875	
T-163 BALL	342302100	41.529	72.619	21.433	
T-163 TR	342302100	41.529	72.619	21.433	
T-176	342302500	46.100	82.956	23.812	
VKBA1358		0.000	0.000	0.000	
VKBA529		0.000	0.000	0.000	
VKBA575		0.000	0.000	0.000	
VKBA826		0.000	0.000	0.000	
VKBA906		0.000	0.000	0.000	
VKBA912		0.000	0.000	0.000	
VKC 2241	02A141165G	31.400	62.500	22.200	
VKC 2601	01E141165C	0.000	130.800	128.200	
VKHB2152	999 059 08902	21.430	50.010	17.530	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com